



2025

PRODUCT CATALOG

WILEY X

PROTECTION FOR LIFE

TABLE OF CONTENTS

4
TECHNOLOGY

10
ACTIVE 6 SERIES

18
ACTIVE 8 SERIES

26
PERFORMANCE SERIES

32
TACTICAL SERIES

44
WORKSIGHT® SERIES

54
ACTIVE 6 WORKSIGHT® SERIES

60
YOUTH FORCE® SERIES

64
APEL

70
GLOVES

74
PRODUCT DISPLAYS

WILEY X A LEGACY OF PROTECTION SINCE 1987


To our valued partners,

As a veteran-founded, second-generation American company, Wiley X remains committed to supporting and protecting those that serve, work and play in life's harshest environments. My brother, Myles and I, continue to build on our father's legacy while leading the brand to innovate new eyewear products without compromising protection.

This year we're proud to announce the launch of our first Made in America product. It's just the beginning of our strategy to transition all our products to American manufacturing. It's a bold investment that we believe benefits our customers, our partners, American workers and the communities we serve.

We look forward to another exciting year with all of you.

Sincerely,



Dan Freeman, CEO and Co-Owner

LENS TECHNOLOGY



AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL


Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.



LENS ANATOMY

CAPTIVATE™ LENS OPTIONS

COPPER BASE LENSES


 **CAPTIVATE™ BRONZE MIRROR / POLARIZED BRONZE MIRROR**
Provides tint for lowlight activities.
*Light Transmission: 15%**

 **CAPTIVATE™ POLARIZED GREEN MIRROR**
High-contrast for outdoors.
*Light Transmission: 12%**

 **CAPTIVATE™ POLARIZED COPPER**
Vivid color for variable light conditions.
*Light Transmission: 17%**


 **CAPTIVATE™ TUNGSTEN MIRROR / POLARIZED TUNGSTEN MIRROR**
Provides optimal vision in all lighting conditions.
*Light Transmission: 10%**

GREY BASE LENSES


 **CAPTIVATE™ POLARIZED BLUE MIRROR**
Reduces bright glare on the water.
*Light Transmission: 11%**

 **CAPTIVATE™ RED MIRROR / POLARIZED RED MIRROR**
Improved depth perception in bright sun. Keeps colors true.
*Light Transmission: 15%**

 **CAPTIVATE™ GREY / POLARIZED GREY**
Even contrast for everyday activities.
*Light Transmission: 13%**

 **CAPTIVATE™ BLACK MIRROR / POLARIZED BLACK MIRROR**
Enhances detail with a natural view of colors.
*Light Transmission: 11%**

SOLID BASE LENSES

 **CAPTIVATE™ CLEAR**
Enhances color perception and provides maximum light transmission. *78%**

STANDARD LENS OPTIONS

LENS OPTIONS


 **SMOKE GREY**
Photochromic lenses darken and lighten depending on brightness for maximum optical clarity.
*Light Transmission: 81% to 17% in sunlight**

 **SILVER FLASH / POLARIZED SILVER FLASH**
Great for bright and sunny conditions across all environments.
Light Transmission: 15%

 **YELLOW**
Increased contrast in extremely low-light/hazy conditions.
*Light Transmission: 82%**

 **LIGHT RUST**
Enhances contrast in medium to low-light conditions.
*Light Transmission: 52%**

 **VERMILLION**
Best for medium to low-light conditions. Sharpens contrast and brightens targets.
*Light Transmission: 45%**

 **CLEAR**
Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions.
*Light Transmission: 89%**

Polarized and Non-Polarized CAPTIVATE™ Lens Options Available

**Transmittance values are approximate within +\-3%*

PROTECTION

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



V0 BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley X eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- Z87** Designation of the standard.
- 2** The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- +** The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- S** The lens is a filter or a shaded lens (not clear).
- V** The lens is variable-tint photochromic (light adjusting).

FRAME TECHNOLOGY

In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.




CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.



DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity™ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.



REMOVABLE FACIAL CAVITY™ SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.



ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance



SUSTAINABLE FRAME MATERIALS

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.

WILEY X AUTHENTIC PRESCRIPTIONS

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

THE WILEY X DIFFERENCE


Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sport-wrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE™ color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.



DIGIFORCE™ DIGITAL LENSES

Digiforce™ is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- Easier patient adaptation to high-wrap frames.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- CAPTIVATE™ Polarized
- Polarized
- Non-Polarized
- Photochromic

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.





ACTIVE 6 SERIES

OUR ACTIVE 6 SUNGLASSES OFFER THE POWER OF PRECISION WITH A FLATTER, 6-BASE LENS PROFILE THAT CAN ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. ACTIVE 6 MODELS COME WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET THE ANSI Z87.1+ SAFETY STANDARD.


FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



SIDE SHIELDS



SUPER-TOUGH
FRAMES



LIGHTWEIGHT
FRAMES



SHATTERPROOF
LENSES


*AVAILABLE ON SELECT MODELS

NEW
WX APEX ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Precision-cut stainless-steel temples
- Overmolded rubber temple tips
- Dual-injected rubber nose pads
- Removable and Permanent Side Shields Included (AC6APXSS, AC6APXPSS)**
- Assembled in America

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)
- Black Zippered Case (DN800L)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6APX04
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED TUNGSTEN MIRROR (GREY BASE)
CAPTIVATE



AC6APX05
F: MATTE TORTOISE BROWN
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6APX09
F: GLOSS BLACK
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE




A60APX30
F: GLOSS CRYSTAL CLEAR
L: CLEAR

WX ALFA ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Wire Core Adjustable Temple Tips
- Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

- Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6ALF02
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



AC6ALF04
F: GLOSS CRYSTAL LIGHT OLIVE
L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE)
CAPTIVATE



AC6ALF09
F: GLOSS CLEAR CRYSTAL
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE




AC6ALF18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY
CAPTIVATE

NEW
WX AXE ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Precision-cut stainless-steel temples
- Overmolded rubber temple tips
- Dual-injected rubber nose pads
- Removable and Permanent Side Shields Included (AC6AXESS, AC6AXEPSS)**
- Assembled in America

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)
- Black Zippered Case (DN800L)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6AXE02
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY (GREY BASE)
CAPTIVATE BLACK OPS



AC6AXE04
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED TUNGSTEN MIRROR (COPPER BASE)
CAPTIVATE



AC6AXE05
F: MATTE TORTOISE BROWN
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6AXE07
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



A60AXE30
F: GLOSS CRYSTAL CLEAR
L: CLEAR




A60AXE32
F: MATTE TORTOISE BROWN
L: CLEAR

WX FOUNDER ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Dual-injected rubber nose pads and temple tips
- Side Shields can be set as Removable or Permanent (AC6FNDSS)**
- Assembled in America

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

- Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6FND02
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS



AC6FND04
F: MATTE BLACK AND TAN
L: CAPTIVATE™ TUNGSTEN MIRROR (COPPER BASE) (NON-POLARIZED)
CAPTIVATE



AC6FND05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6FND07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



AC6FND09
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE



A60FND30
F: GLOSS CRYSTAL CLEAR / BLACK
L: CLEAR

WX HELIX ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS




AC6HLX01
F: MATTE BLACK
L: SMOKE GREY



AC6HLX07
F: GLOSS DEMI
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX RECON ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS



AC6RCN02
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS



AC6RCN05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE




AC6RCN08
F: MATTE GREY
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



A60RCN30
F: CRYSTAL CLEAR GLOSS
L: CLEAR

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Overmolded rubber temple tips
- Dual-injected rubber nose pads
- Side Shields can be set as Removable or Permanent (ACRCNDSS)**
- Assembled in America

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

SPRING 2025

WX OVATION ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS



AC6OVN01
F: MATTE BLACK
L: SMOKE GREY



AC6OVN14
F: MATTE BLACK FRONT TAN TEMPLES
L: CAPTIVATE™ TUNGSTEN MIRROR (COPPER BASE) (NON-POLARIZED)
CAPTIVATE



AC6OVN15
F: MATTE TORTOISE
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE




AC6OVN17
F: MATTE GRAPHITE GREY
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



AC6OVN19
F: GLOSS CRYSTAL DARK GREY
L: CAPTIVATE POLARIZED BLUE MIRROR (COPPER BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Clear ANSI Z87.1+ Removable Side Shields(AC6OVNSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6OVNPSS)**
- Assembled in America

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




WX SIERRA ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Lens Ventilation to Increase Airflow
- Dual-Injected Rubber Temples
- Side Shields Can be Set as Removable or Permanent (AC6SRASS)**
- Assembled in America

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6SRA01
F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE



AC6SRA05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)
CAPTIVATE



AC6SRA06
F: GLOSS BLACK
L: CAPTIVATE™ RED MIRROR (GREY BASE) (NON-POLARIZED)
CAPTIVATE



AC6SRA07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE




AC6SRA09
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE

WX TREK ACTIVE 6 SERIES



REMOVABLE SIDE SHIELDS

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6TRK02
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



AC6TRK07
F: GLOSS CRYSTAL LIGHT GREY
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



AC6TRK09
F: GLOSS CRYSTAL DARK GREY
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE



AC6TRK18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY
CAPTIVATE





ACTIVE 8 SERIES

PUSHING BOUNDARIES AND SURPASSING LIMITS ARE WHAT OUR ACTIVE SERIES ARE BUILT FOR – PREMIUM PROTECTION FOR GETTING AFTER LIFE WITH CONVICTION.


FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



PERIPHERAL
GLARE CONTROL



SPRING HINGES*



SUPER-TOUGH
FRAMES



LIGHTWEIGHT
FRAMES



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

WX PRIME ACTIVE 8 SERIES



ACPRM01
F: MATTE BLACK
L: CAPTIVATE™ GREY
(NON-POLARIZED)
CAPTIVATE




ACPRM05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLACK MIRROR (GREY BASE)
CAPTIVATE



ACPRM09
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Non-Rx
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses
- High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads
- Adjustable Nose-Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Button Temple Strap (A493)
- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES


- Black Zippered Case (DN800)

WX ASPECT ACTIVE 8 SERIES



ACASP01
F: MATTE BLACK
L: SMOKE GREY

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Spring Hinges

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES


- Black Zippered Case (DN800)

WX PRIME XL ACTIVE 8 SERIES



ACPRM04XL
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
TUNGSTEN MIRROR (COPPER BASE)
CAPTIVATE

FIT
EXTRA LARGE



FEATURES

- Non-Rx
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses
- High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads
- Adjustable Nose-Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Button Temple Strap (A493)
- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

- Black Zippered Case (DN800)

WX KINGPIN ACTIVE 8 SERIES




ACKNG07
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



ACKNG19
F: MATTE GRAPHITE
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Spring Hinges

ALSO INCLUDES

- Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

- Black Zippered Case (DN800)

WX OMEGA ACTIVE 8 SERIES



ACOME01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS



ACOME08
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY
BLACK OPS MIL-SPEC
CAPTIVATE




ACOME13
F: KRYPTEK® NEPTUNE
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE KRYPTEK



ACOME22 JACOB WHEELER EDITION**
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**Jacob Wheeler Branded Frame

On Lens:
On Inner Temple: *Jacob Wheeler*

WX PEAK ACTIVE 8 SERIES



ACPEA06
F: MATTE BLACK
L: SILVER FLASH (GREY BASE)




ACPEA07 SPRING 2025
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)
CAPTIVATE



ACPEA19
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

P-17 ACTIVE 8 SERIES




P-17R
F: BLACK CRYSTAL
L: CAPTIVATE™ POLARIZED RED MIRROR (GREY BASE)
CAPTIVATE



P-17M
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- T-Peg Strap (EH409-4)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX PEAK XL ACTIVE 8 SERIES



ACPEA19XL
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
EXTRA LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES


Black Zippered Case (DN800)

SLAY ACTIVE 8 SERIES



ACSLA01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

- Black Zippered Clamshell Case (DN300)
- Cleaning Cloth with Wiley X Logo (A427) or CAPTIVATE™ Microfiber Bag (DN550)

WX TWISTED ACTIVE 8 SERIES



SSTWI01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC




SSTWI09
F: MATTE GREY
L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



SSTWI18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY CAPTIVATE BLACK OPS

FIT
MEDIUM/LARGE




FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

- Black Zippered Clamshell Case (DN300)
- Cleaning Cloth with Wiley X Logo (A427) or CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available






PERFORMANCE SERIES

WITH EXCEPTIONAL PROTECTION AGAINST ALLERGENS, DANGEROUS AIRBORNE PARTICLES, SWEAT, DEBRIS AND WEATHER, THERE ARE NO LIMITS TO WHAT YOU CAN DO. OUR PERFORMANCE SERIES BLOCKS OUT THE ELEMENTS SO YOU CAN FACE THEM WITH CONFIDENCE.

FEATURES


HIGH-VELOCITY
IMPACT PROTECTION


HIGH-MASS
IMPACT PROTECTION


POLARIZED LENSES*


UVA/UVB BLOCKING


PERIPHERAL
GLARE CONTROL


REMOVABLE GASKET


SUPER-TOUGH
FRAMES


LIGHTWEIGHT
FRAMES


SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

AIRRAGE PERFORMANCE SERIES



692
F: GLOSS BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE




693
F: GLOSS BLACK
L: CLEAR



694
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS

FIT
SMALL



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (695G2)
- T-Peg Elastic Strap (EH409-4)
- Dual-Injected Rubber Temples
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

- Facial Cavity™ Seal Thicker Version (695G2T)

WX BREACH PERFORMANCE SERIES



CCBRH01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC




CCBRH03
F: MATTE BLACK
L: CLEAR



CCBRH04
F: MATTE HICKORY BROWN
L: CAPTIVATE™ POLARIZED
BRONZE MIRROR (COPPER BASE)
CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCBRHG2)
- Dynamic Ventilation System
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)

WX BOSS PERFORMANCE SERIES



CCBOS03
F: MATTE BLACK
L: CLEAR



CCBOS03D
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM
RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)




CCBOS06
F: MATTE BLACK
L: SILVER FLASH (GREY BASE)



CCBOS09
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE

FIT
LARGE/EXTRA LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCBOSG2)
- T-Peg Elastic Strap (EH409-4)
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

- Facial Cavity™ Seal Thicker Version (695G2T)

BRICK PERFORMANCE SERIES



858
F: MATTE BLACK
L: CLEAR

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (855G2W)
- T-Peg Elastic Strap (EH409-4)
- Dual-Injected Rubber Temples
- Anti-Fog

ALSO INCLUDES

- Black Zippered Case (DN800L)

SOLD SEPARATELY

- Facial Cavity™ Seal Thicker Version (855G2T)

WX GRAVITY PERFORMANCE SERIES



CCGRA01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC



CCGRA03
F: MATTE BLACK
L: CLEAR

BLACK OPS MIL-SPEC



CCGRA19
F: BLACK CRYSTAL
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE




CCGRA12
F: KRYPTEK® NEPTUNE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE KRYPTEK



CCGRA010
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM
RX RIM AVAILABLE FOR HIGHER RXS (SIZE - 59 / 23)

FIT
MEDIUM/LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCGRAG2)
T-Peg Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY
Facial Cavity™ Seal Thicker Version (CCGRAG2T)

WX GRID PERFORMANCE SERIES



CCGRD01
F: MATTE BLACK
L: GREY

BLACK OPS MIL-SPEC



CCGRD08
F: MATTE UTILITY GREEN
L: CAPTIVATE™ POLARIZED GREY
CAPTIVATE

FIT
LARGE



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCGRD02)
T-Peg Elastic Strap (EH409-4)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads
Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)

WX SLEEK PERFORMANCE SERIES



CCSLE01
F: MATTE VIOLET
L: SILVER FLASH (GREY BASE)




CCSLE02
F: MATTE BLACK
L: SMOKE GREY



CCSLE03
F: MATTE BLACK
L: CLEAR

FIT
SMALL



- FEATURES**
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
8-Base Lenses, High-Wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CCSLEG2)
Anti-Fog

ALSO INCLUDES
Black Zippered Case (DN800L)
Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY
Facial Cavity™ Seal Thicker Version (CCSLEG2T)





TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR CHANGEABLE SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY IN ANY CONDITION.


FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



INTERCHANGEABLE
LENSES



REMOVABLE GASKET*



SUPER-TOUGH
FRAMES

MIL-PRF 32432A
MILITARY COMBAT
EYE PROTECTION



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

SPRING 2025

WX BREACH 2.5 TACTICAL SERIES



CHBRC01
F: MATTE BLACK
L: CAPTIVATE™ GREY / CLEAR
(NON-POLARIZED)
MIL-SPEC CAPTIVATE



CHBRC02
F: MATTE BLACK
L: SMOKE GREY
MIL-SPEC



CHBRC03
F: MATTE BLACK
L: CLEAR
MIL-SPEC



CHBRC08
F: MATTE BLACK
L: GREY/CLEAR/
LIGHT RUST
MIL-SPEC

SPRING 2025

WX BREACH XL 2.5 TACTICAL SERIES



CHBRC01XL
F: MATTE BLACK
L: CAPTIVATE™ GREY / CLEAR
(NON-POLARIZED)
MIL-SPEC CAPTIVATE



CHBRC02XL
F: MATTE BLACK
L: SMOKE GREY
MIL-SPEC




CHBRC03XL
F: MATTE BLACK
L: CLEAR
MIL-SPEC



CHBRC08XL
F: MATTE BLACK
L: GREY/CLEAR/
LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE




FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Facial Gasket seals around eyes for protection against wind, dust, and other irritants
- Dynamic Ventilation System to allow for airflow behind lenses
- Dual-Injected Rubber Temples and nose pads
- Interchangeable lenses
- Foil™ Anti-Fog Lenses

ALSO INCLUDES

- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Facial Gasket seals around eyes for protection against wind, dust, and other irritants
- Dynamic Ventilation System
- Dynamic Ventilation System to allow for airflow behind lenses
- Foil™ Anti-Fog Lenses

ALSO INCLUDES

- Black Zippered Case (DN800L)
- WX Hard Case 2 and 3 Lens Pack (DN770S3)
- Microfiber Bag (DN900)

NEW

WX JAKL TACTICAL SERIES



CHJKL01
F: MATTE BLACK
L: CAPTIVATE™ GREY / CLEAR
(NON-POLARIZED)
MIL-SPEC CAPTIVATE



CHJKL02
F: MATTE BLACK
L: CAPTIVATE™ SMOKE GREY
BLACK OPS MIL-SPEC
CAPTIVATE



CHJKL04
F: MATTE BLACK
L: CAPTIVATE™ TUNGSTEN
MIRROR (COPPER BASE)
MIL-SPEC CAPTIVATE



CHJKL05
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED
BLACK MIRROR (GREY BASE)
CAPTIVATE



CHJKL06
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ RED MIRROR
(GREY BASE)
CAPTIVATE



CHJKL07
F: POLISHED WHITE
L: CAPTIVATE™ POLARIZED
GREEN MIRROR (COPPER BASE)
CAPTIVATE



CHJKL08
F: MATTE BLACK
L: GREY/CLEAR/
LIGHT RUST
MIL-SPEC




CHJKL09
F: GLOSS CRYSTAL GREY
L: CAPTIVATE™ POLARIZED
BLUE MIRROR (GREY BASE)
CAPTIVATE



CHJKL15
F: MATTE BLACK W/ RED RUBBER
L: CAPTIVATE™ BLACK
MIRROR (GREY BASE)
MIL-SPEC CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard (Non-polarized models only)
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected rubber nose pads and temple tips
- Assembled in America

ALSO INCLUDES

- Black Zippered Case (DN800L)
- WX Hard Case 2 and 3 Lens Pack (DN770S3)
- Microfiber Bag (DN900)



GUARD ADVANCED TACTICAL SERIES




4004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



4006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Non-Rx
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Button Temple Strap (4006E)
- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

ROMER 3 TACTICAL SERIES




1004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



1006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

- WX Hard Shell Case (DN750)
- Cleaning Cloth with Wiley X Logo (A428)

SABER ADVANCED TACTICAL SERIES



302
F: MATTE BLACK
L: SMOKE GREY
MIL-SPEC



303
F: MATTE BLACK
L: CLEAR
MIL-SPEC



307
F: 2 MATTE BLACK FRAMES
L: SMOKE GREY / CLEAR
MIL-SPEC



308
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



308T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC




309
F: MATTE BLACK
L: SMOKE GREY / LIGHT RUST / VERMILLION
MIL-SPEC



315
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
UNIVERSAL



FEATURES

- Rx Insert* – Size 44 / 25 (PTX)
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Adjustable Nose Piece
- Saber Advanced Adjustable Strap (306E)
- Converts Glasses to Goggle

ALSO INCLUDES

- Zipper Case (TS-235M) Styles: 308, 309, 315
- Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303
- Cleaning Cloth with Wiley X Logo (A428)
- Black Zippered Clamshell Case (DN610A) Style: 307

*Requires Rx Insert for all Prescription Orders



WX SAINT TACTICAL SERIES




CHSA107
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



CHSA108
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Black Zippered Case (DN800)
- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

WX VAPOR TACTICAL SERIES



3501
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



3502
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



3552 COMM**
F: MATTE BLACK COMM
TEMPLES
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC COMM TEMPLES

FIT
UNIVERSAL



FEATURES

- Rx Insert
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Adjustable Nose Piece
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Zipper Case 2 and 3 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples
Compatible with Hearing Protection

WX VALOR TACTICAL SERIES



CHVAL01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CHVAL06
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



CHVAL06T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC




CHVAL07
F: MATTE BLACK
L: SMOKE GREY / CLEAR
BLACK OPS



CHVAL08
F: MATTE BLACK
L: POLARIZED SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Black Zippered Clamshell Case (DN300)
- Zippered Case 2 and 3 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES



291
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Removable Facial Cavity™ Seal (XLG)
- T-Peg Strap (XLE)
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- WX Tactical Case (DN750)
- Cleaning Cloth with Wiley X Logo (A428)

FALL 2025

WX CYBOR TACTICAL SERIES



7201
F: MATTE BLACK
L: SMOKE GREY /
CLEAR

MIL-SPEC



7202
F: MATTE BLACK
L: SMOKE GREY /
CLEAR / LIGHT RUST

MIL-SPEC



7101T
F: MATTE TAN
L: SMOKE GREY /
CLEAR

MIL-SPEC



7102T
F: MATTE TAN
L: SMOKE GREY /
CLEAR / LIGHT RUST

MIL-SPEC

FALL 2025

WX CYBOR THERMAL TACTICAL SERIES



7201DL
F: MATTE BLACK
L: SMOKE GREY /
CLEAR

MIL-SPEC



7102DLT
F: MATTE TAN
L: SMOKE GREY /
CLEAR

MIL-SPEC



7202DLW
F: MATTE WHITE
L: SMOKE GREY /
CLEAR / CONTRAST

MIL-SPEC

FIT
ADJUSTABLE

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Foil™ Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Ballistic Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES

2 Layer Foam Gasket (7201FCS)
25 mm Fire Resistant Strap (7201EB) Black,
(7201ET) Tan
Cybor Goggle Sleeve

NEW

WX LYNX TACTICAL SERIES



1501
F: MATTE BLACK
L: SMOKE GREY /
CLEAR

MIL-SPEC



1502
F: MATTE BLACK
L: SMOKE GREY /
CLEAR / LIGHT RUST

MIL-SPEC

FIT
ADJUSTABLE

FEATURES

Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Proprietary Channel Venting
Foil™ Anti-Fog Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Ballistic Lenses
Interchangeable Strap Configurations
Replaceable Gaskets
Lightweight Foldable Frame

ALSO INCLUDES

25mm Fire Resistant Strap (Velcro)
25mm Fire Resistant Strap (Dual Buckle)
Custom Case (DN150)
Cleaning Cloth (A428)

FIT
ADJUSTABLE

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Foil™ Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES

Thermal/Cold Environment 3 Layer Foam
Removable Gasket (7201FCSTH)
40mm Fire Resistant Strap (7201EBL) Black,
(7201ETL) Tan, (7202EWL) White




SG-1 TACTICAL SERIES



71
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

SG-1 WITH TEMPLES

FIT
ADJUSTABLE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Replaceable Gaskets

ALSO INCLUDES

- WX Hard Shell Case (DN700S)
- Removable Temples (SG-1T)
- SG-1 Elastic Strap (SG-1E)
- SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

SPEAR TACTICAL SERIES



SP293B
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



SP293T
F: TAN 499
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



SP29B
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



SP29T
F: TAN 499
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
ADJUSTABLE

FEATURES

- Rx Insert Twistlock TLRX* – Size 42/24
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

- Spear Goggle Sleeve (SP29SLB) Black
- Spear Goggle Sleeve (SP29SLT) Tan
- Spear Goggle Bag (AN571) Black
- Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan
- Spear Facial Cavity™ Seal (SP29FCS)

*Requires Rx Insert for all Prescription Orders





WORKSIGHT® SERIES

DESIGNED AND BUILT FOR VERSATILITY, OUR WORKSIGHT® FRAMES WITH REMOVABLE AND PERMANENT SIDE SHIELDS PROVIDE JOB SITE PROTECTION WITH EVERYDAY WEARABILITY.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



LIGHTWEIGHT
FRAMES



UVA/UVB BLOCKING



SIDE SHIELDS



SPRING HINGES



SUPER-TOUGH
FRAMES



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

SPRING 2025

WX BRAVO WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSBRV01

F: MATTE BLACK W/ GRAPHITE GREY
TEMPLES
L: CLEAR

WSBRV02

F: GLOSS CRYSTAL TAN W/ MATTE
BLACK TEMPLES
L: CLEAR

WSBRV03


F: GLOSS TORTOISE W/ GLOSS BLACK
TEMPLES
L: CLEAR



WSBRV04

F: GLOSS CRYSTAL CLEAR W/ GLOSS
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frames
- Removable Side Shields (WSBRVSS)**
- Permanent Side Shields (WSBRVPSS)**
- Dual-Injected rubber nose pads and temple tips

ALSO INCLUDES

- Black Zippered Case (DN800)
- Microfiber Bag (DN900)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX AXIS WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSAXI01

F: DARK GUNMETAL WITH MATTE
UTILITY GREEN TEMPLES
L: CLEAR

WSAXI03

F: MATTE SILVER WITH GLOSS
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSAXISS)**
- Permanent Side Shields (WSAXIPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

SPRING 2025

WX ZULU WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSZUL01

F: TRANSLUCENT MATTE BLACK W/
MATTE BLACK TEMPLES
L: CLEAR

WSZUL02

F: FROSTED TAN W GLOSS BLACK
TEMPLES
L: CLEAR

WSZUL03


F: CRYSTAL LIGHT BLUE W/ GLOSS
BLACK TEMPLES
L: CLEAR



WSZUL04

F: GLOSS CRYSTAL CLEAR W/ GLOSS
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frames
- Removable Side Shields (WSZULSS)**
- Permanent Side Shields (WSZULPSS)**
- Dual-Injected rubber nose pads and temple tips

ALSO INCLUDES

- Black Zippered Case (DN800)
- Microfiber Bag (DN900)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CHASE WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSCHS01

F: MATTE BLACK WITH
MATTE BLACK TEMPLES
L: CLEAR

WSCHS03

F: MATTE BLUE WITH GLOSS
DEMI TEMPLES
L: CLEAR

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSCHSSS)**
- Permanent Side Shields (WSCHSPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CONTOUR WORKSIGHT®




WSCON01
F: MATTE BLACK
L: CLEAR



WSCON05
F: GLOSS BLACK TO BROWN STRIPE
L: CLEAR

FIT
SMALL/MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Removable Side Shields (WSCONSS)**
Permanent Side Shields (WSCONPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX FUSION WORKSIGHT®



WSFSN01
F: MATTE BLACK WITH GUNMETAL TEMPLES
L: CLEAR



WSFSN05
F: MATTE SILVER / GLOSS CLEAR CRYSTAL
L: CLEAR

FIT
SMALL/MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon and Metal Frames
Removable Side Shields (WSFSNSS)**
Permanent Side Shields (WSFSNPSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX EPIC WORKSIGHT®



WSEPC01
F: MATTE BLACK
L: CLEAR




WSEPC03
F: MATTE CRYSTAL DARK GREY
L: CLEAR



WSEPC04
F: MATTE HICKORY BROWN
L: CLEAR


FIT
MEDIUM



FEATURES
Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
4 Base Lenses
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Side Shields Can be Set as Removable or Permanent (WSEPCSS)**

ALSO INCLUDES
Black Zippered Case (DN800)
Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards



WX HARMONY WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSHRM01


F: MATTE NAVY BLUE W/
BLACK TEMPLES
L: CLEAR



WSHRM02

F: MATTE ACETATE W/
BLACK TEMPLES
L: CLEAR

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSHRMSS)**
- Permanent Side Shields (WSHRMPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX PROFILE WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSPRF01

F: MATTE BLACK
L: CLEAR



WSPRF06

F: GLOSS CRYSTAL LIGHT GREY
L: CLEAR

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frames
- Removable Side Shields (WSPRFSS)**
- Permanent Side Shields (WSPRFPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX JUDGE WORKSIGHT®



REMOVABLE SIDE SHIELDS



WSJDG01

F: MATTE BLACK
L: CLEAR



WSJDG03

F: GLOSS BLACK TO CLEAR FADE
L: CLEAR

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frames
- Removable Side Shields (WSJDGSS)**
- Permanent Side Shields (WSJDGPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SERENITY WORKSIGHT®




REMOVABLE SIDE SHIELDS



WSSRN04

F: GLOSS BROWN DEMI /
CHAMPAGNE TEMPLE INTERIOR
L: CLEAR

FIT
SMALL



FEATURES


- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 4 Base Lenses
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon and Metal Frames
- Removable Side Shields (WSSRNSS)**
- Permanent Side Shields (WSSRNPS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SPECTRE WORKSIGHT®



- FIT**
MEDIUM
- FEATURES**
 Rx Ready
 ANSI Z87.1+ Impact Protection/Optical Standards
 4 Base Lenses
 Shatterproof Selenite™ Lenses
 Super-Tough Triloid Nylon Frames
 Removable Side Shields (WSPRFSS)**
 Permanent Side Shields (WSPRFPS)**




WSSPT01
 F: MATTE BLACK
 L: CLEAR



WSSPT02
 F: GLOSS CRYSTAL GREY / BLACK
 L: CLEAR

WX VIRTUE WORKSIGHT®



- FIT**
SMALL
- FEATURES**
 Rx Ready
 ANSI Z87.1+ Impact Protection/Optical Standards
 4 Base Lenses
 Shatterproof Selenite™ Lenses
 Super-Tough Triloid Nylon Frames
 Removable Side Shields (WSVRTSS)**
 Permanent Side Shields (WSVRTPSS)**




WSVRT05
 F: GLOSS MIDNIGHT BLUE / LILAC DEMI TEMPLE INTERIOR
 L: CLEAR

- ALSO INCLUDES**
 Black Zippered Case (DN800)
 Cleaning Cloth (A428)
- **With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

- ALSO INCLUDES**
 Black Zippered Case (DN800)
 Cleaning Cloth (A428)
- **With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX TIG WORKSIGHT®



- FIT**
MEDIUM
- FEATURES**
 Rx Ready
 ANSI Z87.1+ Impact Protection/Optical Standards
 4 Base Lenses
 Shatterproof Selenite™ Lenses
 Super-Tough Triloid Nylon and Metal Frames
 Removable Side Shields (WSTIGSS)**
 Permanent Side Shields (WSTIGPSS)**
 Spring Hinges



WSTIG01
 F: MATTE NAVY BLUE W/ METAL FLAKE
 L: CLEAR



WSTIG02
 F: MATTE DARK GUNMETAL
 L: CLEAR

- ALSO INCLUDES**
 Black Zippered Case (DN800)
 Cleaning Cloth (A428)
- **With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards





ACTIVE 6 WORKSIGHT® SERIES

ACTIVE 6 OPTICAL MODELS OFFER A 6-BASE LENS PROFILE THAT IS BUILT TO ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. EVERY MODEL COMES WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET ANSI Z87.1+ SAFETY STANDARDS.

FEATURES


HIGH-VELOCITY
IMPACT PROTECTION


HIGH-MASS
IMPACT PROTECTION


LIGHTWEIGHT
FRAMES


UVA/UVB BLOCKING


SIDE SHIELDS


SUPER-TOUGH
FRAMES


SHATTERPROOF
LENSES

NEW
WX APEX ACTIVE 6 OPTICAL SERIES




REMOVABLE SIDE SHIELDS



A60APX30
 F: GLOSS CRYSTAL CLEAR
 L: CLEAR

FIT
 MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Lightweight stainless-steel temples
- Dual-injected rubber nose pads and temple tips
- Removable and Permanent Side Shields Included (AC6APXSS, AC6APXPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Microfiber Bag (DN900)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards

NEW
WX AXE ACTIVE 6 OPTICAL SERIES



REMOVABLE SIDE SHIELDS




A60AXE30
 F: GLOSS CRYSTAL CLEAR
 L: CLEAR



A60AXE32
 F: MATTE TORTOISE BROWN
 L: CLEAR

FIT
 SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Lightweight stainless-steel temples
- Dual-injected rubber nose pads and temple tips
- Removable and Permanent Side Shields Included (AC6AXESS, AC6AXEPSS)**

ALSO INCLUDES

- Black Zippered Case (DN800)
- Microfiber Bag (DN900)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards



WX FOUNDER ACTIVE 6 OPTICAL SERIES




REMOVABLE SIDE SHIELDS



A60FND30
 F: POLISHED CRYSTAL CLEAR/
 POLISHED BLACK
 L: CLEAR

FIT
 MEDIUM/LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - 6-Base Lenses
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Dual-Injected Rubber Temples
 - Side Shields Can be Set as Removable or Permanent (AC6FNDSS)**

- ALSO INCLUDES**
- Black Zippered Case (DN800)
 - Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX RECON ACTIVE 6 OPTICAL SERIES



REMOVABLE SIDE SHIELDS



A60RCN30
 F: CRYSTAL CLEAR
 L: CLEAR

FIT
 MEDIUM/LARGE



- FEATURES**
- Rx Ready
 - ANSI Z87.1+ Impact Protection/Optical Standards
 - 6-Base Lenses
 - UVA/UVB Light Blocking
 - Shatterproof Selenite™ Lenses
 - Dual-Injected Rubber Temples
 - Side Shields Can be Set as Removable or Permanent (AC6RCN30)**

- ALSO INCLUDES**
- Black Zippered Case (DN800)
 - Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards





YOUTH FORCE® SPORT SERIES

OUR YOUTH FORCE® SPORT SERIES MEETS THE HIGHEST ASTM F803 STANDARDS FOR SAFETY AND CLARITY, WITH THE FIT AND DURABILITY TO WITHSTAND THE RIGORS OF YOUTH SPORTS.

FEATURES


UVA/UVB BLOCKING


LIGHTWEIGHT
FRAMES


SUPER-TOUGH
FRAMES



SHATTERPROOF
LENSES

WX AGILE YOUTH FORCE® SPORT

YFGIL01
F: MATTE BLACK
L: CLEAR



FIT
MEDIUM

**FEATURES**

Rx Ready
ASTM F803-Rated Protection
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY


Replaceable Nose Piece
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX FLASH YOUTH FORCE® SPORT

YFFLA04
F: MATTE BLACK AND
ELECTRIC BLUE LIGHTNING
L: CLEAR



FIT
SMALL

**FEATURES**

Rx Ready
ASTM F803-Rated Protection
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES


Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY


Smoke Grey Lenses (YFFLAS)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX FIERCE YOUTH FORCE® SPORT

YFFIE01
F: MATTE BLUE INDIGO AND GREY
L: CLEAR



FIT
MEDIUM

**FEATURES**

Rx Ready
ASTM F803-Rated Protection
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFIES)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)

WX GAMER YOUTH FORCE® SPORT

YFGAM01
F: MATTE BLACK
AND DARK SILVER
L: CLEAR



FIT
MEDIUM/LARGE

**FEATURES**

Rx Ready
ASTM F803-Rated Protection
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frames
Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)
Youth Force® Goggle Strap Regular (YF2001)
Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFGAMS)
Youth Force® Goggle Strap Small (YF2002)
Youth Force® Button Strap Small (YF2060)
Youth Force® Drawstring Microfiber Bag (YF2030)



APEL

AUTHORIZED PROTECTIVE EYEWEAR LIST†

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHTEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



VENTILATION*



UVA/UVB BLOCKING



INTERCHANGEABLE
LENSES



REMOVABLE GASKET*



SUPER-TOUGH
FRAMES

MIL-PRF 32432A
MILITARY COMBAT
EYE PROTECTION



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS
†U.S. DEPARTMENT OF DEFENSE

WX GRAVITY APEL



CH5201

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT MEDIUM/LARGE



FEATURES

Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
8-Base Lenses, High-wrap Frames
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Super-Tough Triloid Nylon Frame
Removable Facial Cavity™ Seal (CH526)
Dual-Injected Rubber Temples
Dual-Injected Rubber Nose Pads

ALSO INCLUDES

T-Peg Strap (EH409-4)
Leash Cord with Rubber Grips (A492B)
WX Hard Shell Case (DN750G)
Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL



CH3401 - SMALL FRAME

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3501 - REGULAR FRAME

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3601 - LARGE FRAME

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



FIT SMALL - REGULAR - LARGE



FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
UVA/UVB Light Blocking
Shatterproof Selenite Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601
Cleaning Cloth with Wiley X Logo (A425)
Fogtech Anti-Fog Reapplication Wipe (FOG)
Leash Cord with Rubber Grips (A492B)

SOLD SEPERATELY

Vapor Gasket (CH356)

WX VALOR APEL



CH4701

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT MEDIUM



FEATURES

Rx Ready
ANSI Z87.1+ Impact Protection/Optical Standards
Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
APEL-Approved Protection
Interchangeable Lenses
Foil™ Anti-Fog Lenses
UVA/UVB Light Blocking
Shatterproof Selenite Lenses
Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Leash Cord with Rubber Grips (A492B)
APEL Case (DN750)
Cleaning Cloth with Wiley X Logo (A425)
Fogtech Anti-Fog Reapplication Wipe (FOG)



SPEAR APEL



SP30T

F: TAN 499

L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
ADJUSTING

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan

Spear Goggle Bag (AN571) Black

Spear Goggle Strap (SP29ET) Tan

Spear Facial Cavity™ Seal (SP29FCS)

Fogtech Anti-Fog Reapplication Wipe (F0G)

SPEAR THERMAL APEL



SP30DLT

F: TAN 499

L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
ADJUSTING

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

Dual Lens

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan

Spear Goggle Bag (AN571) Black

Spear Goggle Strap (SP29ET) Tan

Spear Facial Cavity™ Seal (SP29FCS)

Fogtech Anti-Fog Reapplication Wipe (F0G)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT, TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION, AND FR FLAME RESISTANCE.

APX TACTICAL GLOVE



- BLACK**
- G450.SM SM
 - G450.ME MD
 - G450.LA LG
 - G450.XL XL
 - G450.2X XXL



FEATURES

- Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability
- Reinforced Thumb and Palm Patch in High-Wear Areas
- Moisture Wicking Heavy-Duty Lycra® Gussets
- Ventilated Fingers for Increased Airflow and Breathability
- Clip-Strap for Easy Storage and Portability

HYBRID TACTICAL GLOVE



REMOVABLE INJECTED MOLDED KNUCKLE PROTECTOR

- COYOTE BROWN**
- G241.SM SM
 - G241.ME MD
 - G241.LA LG
 - G241.XL XL
 - G241.2X XXL



- FOLIAGE GREEN**
- G242.SM SM
 - G242.ME MD
 - G242.LA LG
 - G242.XL XL
 - G242.2X XXL



FEATURES

- Removable Patent Pending Injected Molded Knuckle Protector
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Goatskin Leather Reinforced in High-Wear Areas
- Thermal and Cut Resistant

ARIES TACTICAL GLOVE



MADE IN U.S.A.
(U311SM-2X, U312SM-2X)

- COYOTE BROWN**
- U311.SM SM
 - U311.ME MD
 - U311.LA LG
 - U311.XL XL
 - U311.2X XXL



MADE IN U.S.A.

- FOLIAGE GREEN**
- U312.SM SM
 - U312.ME MD
 - U312.LA LG
 - U312.XL XL
 - U312.2X XXL



MADE IN U.S.A.

- COYOTE BROWN**
- G311.SM SM
 - G311.ME MD
 - G311.LA LG
 - G311.XL XL
 - G311.2X XXL



- FOLIAGE GREEN**
- G312.SM SM
 - G312.ME MD
 - G312.LA LG
 - G312.XL XL
 - G312.2X XXL



FEATURES

- Outlasts Flyers Glove 4-6 Times
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Sheepskin Leather Reinforced in High-Wear Areas
- Custom Designed to Match US Military Uniforms
- Clip Strap for Easy Storage and Portability
- 3 Fingertips Removed for Added Dexterity/Sensitivity
- Navair Approved*
- U.S. Air Force Safe To Fly (STF) Approved*

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

ORION TACTICAL GLOVE



MADE IN U.S.A.
(U301SM.T-2X.T, U302SM.T-2X.T)

- COYOTE BROWN**
- U301.SM.T SM
 - U301.ME.T MD
 - U301.LA.T LG
 - U301.XL.T XL
 - U301.2X.T XXL



MADE IN U.S.A.

- FOLIAGE GREEN**
- U302.SM.T SM
 - U302.ME.T MD
 - U302.LA.T LG
 - U302.XL.T XL
 - U302.2X.T XXL



MADE IN U.S.A.

- COYOTE BROWN**
- G301.SM SM
 - G301.ME MD
 - G301.LA LG
 - G301.XL XL
 - G301.2X XXL



- FOLIAGE GREEN**
- G302.SM SM
 - G302.ME MD
 - G302.LA LG
 - G302.XL XL
 - G302.2X XXL



FEATURES

- Outlasts Flyers Glove 4-6 Times
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Sheepskin Leather Reinforced in High-Wear Areas
- Custom Designed to Match U.S. Military Uniforms
- Clip Strap for Easy Storage and Portability
- Navair Approved*
- U.S. Army Aviation Approved*
- U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)
- Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

*MOQ - 500 Pair

*MOQ - 500 Pair

*MOQ - 500 Pair

*MOQ - 500 Pair

PREMIER XL*CAPACITY: 75-100 PAIRS
DIMENSIONS: 40"W X 78"H X 16.125"D

933024XL



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY

PREMIER*CAPACITY: 60 PAIRS
DIMENSIONS: 28"W X 78"H X 16.125"D

933024



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK**CAPACITY: 35-45 UNITS
DIMENSIONS: 16.25"W X 76"H X 9.625"D

933024RK



**RACK DISPLAY CAN BE USED WITH OR WITHOUT BASE UNIT

PRODUCT WARRANTY**NON-PRESCRIPTION WILEY X, INC., EYEWEAR**

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE® AND DVX™ EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere® warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- All Wiley X products purchased through any non-authorized 3rd party websites, dealers, or labs.
- Damage resulting from normal wear and tear (i.e., scratched lenses).
- Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- Lost or stolen item.

WX PRESCRIPTION WARRANTY**RX WARRANTY**

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by non-authorized labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA15755 PRESTON ROAD, FRISCO, TX 75033 USA
TEL: 1.800.776.7842 // FAX: +1.925.455.8860
WILEYX.COM**WILEY X, EMEA**SONDERGADE 8-10, 7570 VEMB, DENMARK
TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40
WILEYX.EU

VIEW WX POP



WILEY X

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA

TEL: 1.800.776.7842 // FAX: +1.925.455.8860

WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK

TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40

WILEYX.EU

OUT